



# According to 1907/2006/EC (REACH), 2015/830/EU (NORTH IRELAND)

# NE104800/NE104900 - NEROL AUTO 4T PERFORMANCE VTX - LTN 5W30 A5-B5 A1-B1 100% SINT. FORD 913

SECT	TION 1: IDENTIFICATION OF THE S	UBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING				
1.1	Product identifier:	NE104800/NE104900 - NEROL AUTO 4T PERFORMANCE VTX - LTN 5W30 A5-B5 A1-B1 100% SINT. FORD 913				
	Other means of identification:					
	UFI:	6H20-K0A7-4004-0VXC				
1.2	Relevant identified uses of the subs	levant identified uses of the substance or mixture and uses advised against:				
	Relevant uses: Synthetic motor oil					
	Uses advised against: All uses not speci	fied in this section or in section 7.3				
1.3	Details of the supplier of the safety	data sheet:				
	Nerol Lubricants, S.L. Ctra. de Mazarrón Km. 3 - Cartagena 30393 Murcia - Murcia - España Phone: +34911271060 info@lubricantsnerol.com www.lubricantsnerol.com					
1.4	Emergency telephone number: (+3 EU	ROPE : +44 (0) 1235 239 670				
	-					
-						
SECT	TION 2: HAZARDS IDENTIFICATION					
SEC1 2.1	TON 2: HAZARDS IDENTIFICATION Classification of the substance or n					
		ixture:				
	Classification of the substance or n CLP Regulation (EC) No 1272/2008	ixture:				
	Classification of the substance or n CLP Regulation (EC) No 1272/2008	iixture: I:				
2.1	Classification of the substance or n CLP Regulation (EC) No 1272/2008 The product is not classified as hazardo	<b>iixture:</b> : us according to CLP Regulation (EC) No 1272/2008.				
2.1	Classification of the substance or n CLP Regulation (EC) No 1272/2008 The product is not classified as hazardo Label elements:	<b>iixture:</b> : us according to CLP Regulation (EC) No 1272/2008.				
2.1	Classification of the substance or n CLP Regulation (EC) No 1272/2008 The product is not classified as hazardo Label elements: CLP Regulation (EC) No 1272/2008	<b>iixture:</b> : us according to CLP Regulation (EC) No 1272/2008.				
2.1	Classification of the substance or n CLP Regulation (EC) No 1272/2008 The product is not classified as hazardo Label elements: CLP Regulation (EC) No 1272/2008 Hazard statements:	<b>iixture:</b> : us according to CLP Regulation (EC) No 1272/2008.				
2.1	Classification of the substance or n CLP Regulation (EC) No 1272/2008 The product is not classified as hazardo Label elements: CLP Regulation (EC) No 1272/2008 Hazard statements: Non-applicable	<b>iixture:</b> : us according to CLP Regulation (EC) No 1272/2008.				
2.1	Classification of the substance or n CLP Regulation (EC) No 1272/2008 The product is not classified as hazardo Label elements: CLP Regulation (EC) No 1272/2008 Hazard statements: Non-applicable Precautionary statements:	<b>iixture:</b> : us according to CLP Regulation (EC) No 1272/2008.				
2.1	Classification of the substance or m CLP Regulation (EC) No 1272/2008 The product is not classified as hazardo Label elements: CLP Regulation (EC) No 1272/2008 Hazard statements: Non-applicable Precautionary statements: Non-applicable Supplementary information:	<b>iixture:</b> : us according to CLP Regulation (EC) No 1272/2008.				
2.1	Classification of the substance or m CLP Regulation (EC) No 1272/2008 The product is not classified as hazardo Label elements: CLP Regulation (EC) No 1272/2008 Hazard statements: Non-applicable Precautionary statements: Non-applicable Supplementary information: EUH208: Contains Molybdenum polysul UFI: 6H20-K0A7-4004-0VXC	iixture: I: us according to CLP Regulation (EC) No 1272/2008.				
2.1	Classification of the substance or n CLP Regulation (EC) No 1272/2008 The product is not classified as hazardo Label elements: CLP Regulation (EC) No 1272/2008 Hazard statements: Non-applicable Precautionary statements: Non-applicable Supplementary information: EUH208: Contains Molybdenum polysul	iixture: I: us according to CLP Regulation (EC) No 1272/2008.				

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substance:

Non-applicable

# 3.2 Mixture:

### Chemical description: Synthetic oil

### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification			
		Molybdenum polysul	phide long chain alkyl dithiocarbamate complex <sup>(1)</sup>	Self-classified	
Index: I REACH: (	457-320-2 Non-applicable 01-0000019337-66- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	(1)	<1 %

<sup>(1)</sup> Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.



#### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

### By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

### By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

### By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

#### Non-applicable

#### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO<sub>2</sub>).

### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures:

### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### For emergency responders:

### Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU (NORTH IRELAND)



# NE104800/NE104900 - NEROL AUTO 4T PERFORMANCE VTX - LTN 5W30 A5-B5 A1-B1 100% SINT. FORD 913

#### SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 Environmental precautions:

it is recommended to avoid environmental spillage of both the product and its container

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C Maximum Temp.: 30 °C

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

Version: 1

Identification	Occupational exposure limits		
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	WEL (8h)	5 n	ng/m³
CAS: Non-applicable EC: 457-320-2	WEL (15 min)	10	mg/m³

Oils: WEL (15 min)= 10 mg/m3

DNEL (Workers):



# NE104800/NE104900 - NEROL AUTO 4T PERFORMANCE VTX - LTN 5W30 A5-B5 A1-B1 100% SINT. FORD 913

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued

		Short e	xposure	Long ex	xposure
Identification		Systemic	Local	Systemic	Local
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	2,24 mg/kg	Non-applicable
EC: 457-320-2	Inhalation	Non-applicable	Non-applicable	3,52 mg/m <sup>3</sup>	Non-applicable

#### DNEL (General population):

	Short e	xposure	Long exposure		
Identification		Systemic	Local	Systemic	Local
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	Oral	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	1,12 mg/kg	Non-applicable
EC: 457-320-2	Inhalation	Non-applicable	Non-applicable	1,76 mg/m <sup>3</sup>	Non-applicable

#### PNEC:

Identification				
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	STP	10 mg/L	Fresh water	0,081 mg/L
CAS: Non-applicable	Soil	0,872 mg/kg	Marine water	0,008 mg/L
EC: 457-320-2	Intermittent	0,096 mg/L	Sediment (Fresh water)	195 mg/kg
	Oral	0,02 g/kg	Sediment (Marine water)	19,5 mg/kg

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

#### C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

#### D.- Eye and face protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
E	Body protection				

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.



# NE104800/NE104900 - NEROL AUTO 4T PERFORMANCE VTX - LTN 5W30 A5-B5 A1-B1 100% SINT. FORD 913

Pictogram	PPE	Labelling	CEN Standard		Remarks
	Anti-slip work shoes		EN ISO 20347:2012	perioo recom	ce before any evidence of deterioration ds of prolonged exposure to the produc professional/industrial users CE III is imended, in accordance with the regula EN ISO 20345:2012 y EN 13832-1:200
F Additional emerge	ency measures				
Emergency mea	asure	Standards	Emergency measure	ure	Standards
Emergency sho	ISO 3864-1:2	NSI Z358-1 2011, ISO 3864-4:2011	Eyewash station	16	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:201
Environmental exp			Lyewash station	15	
۔ In accordance with th	he community legislation product and its contained				nmended to avoid environmenta
With regard to Direct	tive 2010/75/EU, this pro	oduct has the follow	wing characteristics:		
V.O.C. (Supply):		weight			
V.O.C. density at	-	g/m³ (0 g/L)			
Average carbon n		n-applicable			
Average molecula	ar weight: Non	n-applicable			
ON 9: PHYSICAL /	AND CHEMICAL PRC	PERTIES			
Information on ba	sic physical and chen				
		nical properties:			
	ation see the product da				
For complete informa Appearance:	ation see the product da				
For complete informa	ation see the product da	itasheet.			
For complete informa <b>Appearance:</b> Physical state at 20 <sup>o</sup> Appearance:	ation see the product da	tasheet. Liquid Oily	ıber		
For complete informa <b>Appearance:</b> Physical state at 20 <sup>o</sup> Appearance: Colour:	ation see the product da	tasheet. Liquid Oily			
For complete informa <b>Appearance:</b> Physical state at 20 <sup>o</sup> Appearance: Colour: Odour:	ation see the product da	atasheet. Liquid Oily Mar Lubrica			
For complete informa <b>Appearance:</b> Physical state at 20 <sup>o</sup> Appearance: Colour: Odour: Odour threshold:	ation see the product da	atasheet. Liquid Oily Mar Lubrica	int		
For complete informa <b>Appearance:</b> Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b>	ation see the product da	tasheet. Liquid Oily Mr Lubrica Non-ap	int		
For complete informa <b>Appearance:</b> Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmos	ation see the product da PC: spheric pressure:	atasheet. Liquid Oily Lubrica Non-ap	nt pplicable *		
For complete informa <b>Appearance:</b> Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmost Vapour pressure at 2	ation see the product da PC: spheric pressure: 10 °C:	itasheet. Liquid Oily Lubrica Non-ap Non-ap Non-ap	nt pplicable * pplicable *		
For complete informa <b>Appearance:</b> Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmost Vapour pressure at 2 Vapour pressure at 5	ation see the product da PC: spheric pressure: 10 °C: 10 °C:	atasheet. Liquid Oily Lubrica Non-ap Non-ap Non-ap <30000	nt pplicable * pplicable * pplicable *		
For complete informa <b>Appearance:</b> Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmost Vapour pressure at 2 Vapour pressure at 2 Evaporation rate at 2	ation see the product da PC: spheric pressure: 10 °C: 10 °C: 20 °C:	atasheet. Liquid Oily Lubrica Non-ap Non-ap Non-ap <30000	nt pplicable * pplicable * pplicable * 00 Pa (300 kPa)		
For complete informa <b>Appearance:</b> Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmost Vapour pressure at 2 Vapour pressure at 2 Evaporation rate at 2 <b>Product descriptio</b>	ation see the product da PC: spheric pressure: 10 °C: 10 °C: 20 °C:	atasheet. Liquid Oily Mr Lubrica Non-ap Non-ap <30000 Non-ap	nt pplicable * pplicable * oplicable * 00 Pa (300 kPa) pplicable *		
For complete informa <b>Appearance:</b> Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmos Vapour pressure at 2 Vapour pressure at 2 Evaporation rate at 2 <b>Product descriptio</b> Density at 20 °C:	ation see the product da PC: spheric pressure: 10 °C: 10 °C: 20 °C: <b>n:</b>	atasheet. Liquid Oily Lubrica Non-ap Non-ap Non-ap < 30000 Non-ap 855 kg	nt pplicable * pplicable * oplicable * 00 Pa (300 kPa) pplicable *		
For complete informa <b>Appearance:</b> Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmost Vapour pressure at 2 Vapour pressure at 2 Vapour pressure at 2 <b>Product description</b> Density at 20 °C: Relative density at 20	ation see the product da PC: spheric pressure: 10 °C: 10 °C: 20 °C: <b>n:</b> D °C:	atasheet. Liquid Oily Lubrica Non-ap Non-ap <30000 Non-ap 855 kg 1,1	nnt oplicable * oplicable * oplicable * 00 Pa (300 kPa) oplicable * /m <sup>3</sup>		
For complete informa <b>Appearance:</b> Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmo: Vapour pressure at 2 Vapour pressure at 2 <b>Vapour pressure at 2</b> <b>Product descriptio</b> Density at 20 °C: Relative density at 20 Dynamic viscosity at	ation see the product da PC: spheric pressure: 0 °C: 20 °C: 20 °C: n: 0 °C: 20 °C: 20 °C:	atasheet. Liquid Oily Lubrica Non-ap Non-ap Non-ap <30000 Non-ap 855 kg 1,1 Non-ap	nnt oplicable * oplicable * oplicable * 00 Pa (300 kPa) oplicable * /m <sup>3</sup>		
For complete informa <b>Appearance:</b> Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmos Vapour pressure at 2 Vapour pressure at 2 Vapour pressure at 2 <b>Product descriptio</b> Density at 20 °C: Relative density at 20 Dynamic viscosity at Kinematic viscosity at	ation see the product da PC: spheric pressure: 20 °C: 20 °C: <b>n:</b> 20 °C: 20 °C: 20 °C: 20 °C: 20 °C:	atasheet. Liquid Oily Lubrica Non-ap Non-ap Non-ap <3000 Non-ap 855 kg 1,1 Non-ap Non-ap	nnt oplicable * oplicable * oplicable * 00 Pa (300 kPa) oplicable * /m <sup>3</sup> oplicable *		
For complete informa <b>Appearance:</b> Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmost Vapour pressure at 2 Vapour pressure at 2 Vapour pressure at 2 <b>Product description</b> Density at 20 °C: Relative density at 20 Dynamic viscosity at Kinematic viscosity at	ation see the product da PC: spheric pressure: 10 °C: 10 °C: 20 °C: <b>n:</b> D °C: 20 °C: t 20 °C: t 20 °C: t 40 °C:	atasheet. Liquid Oily Lubrica Non-ap Non-ap Non-ap <30000 Non-ap 855 kg 1,1 Non-ap Non-ap Non-ap	nnt oplicable * oplicable * oplicable * 00 Pa (300 kPa) oplicable * /m <sup>3</sup> oplicable * oplicable * oplicable *		
For complete informa <b>Appearance:</b> Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmos Vapour pressure at 2 Vapour pressure at 2 Vapour pressure at 2 <b>Product descriptio</b> Density at 20 °C: Relative density at 20 Dynamic viscosity at Kinematic viscosity at Kinematic viscosity at	ation see the product da PC: spheric pressure: 10 °C: 10 °C: 20 °C: <b>n:</b> D °C: 20 °C: t 20 °C: t 20 °C: t 40 °C:	Atasheet. Liquid Oily Lubrica Non-ap Non-ap Non-ap (30000 Non-ap (30000 Non-ap (1,1) Non-ap (Non-ap (Non-ap) Non-ap (Non-ap)(Non-ap)(	ant oplicable * oplicable * oplicable * 00 Pa (300 kPa) oplicable * /m <sup>3</sup> oplicable * oplicable * oplicable * oplicable *		
For complete informa <b>Appearance:</b> Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: <b>Volatility:</b> Boiling point at atmost Vapour pressure at 2 Vapour pressure at 2 Vapour pressure at 2 <b>Product descriptio</b> Density at 20 °C: Relative density at 20 Dynamic viscosity at Kinematic viscosity at Kinematic viscosity at Kinematic viscosity at Kinematic viscosity at	ation see the product da PC: spheric pressure: 10 °C: 10 °C: 20 °C: <b>n:</b> D °C: 20 °C: t 20 °C: t 20 °C: t 40 °C:	Atasheet. Liquid Oily Lubrica Non-ap Non-ap Non-ap <30000 Non-ap 855 kg 1,1 Non-ap Non-ap Non-ap Non-ap 10 - 12 Non-ap	nnt oplicable * oplicable * oplicable * 00 Pa (300 kPa) oplicable * /m <sup>3</sup> oplicable * oplicable * oplicable * oplicable * oplicable *		
For complete information of the second state o	ation see the product da PC: spheric pressure: 10 °C: 10 °C: 20 °C: 20 °C: 120 °C: 120 °C: 1 20 °C: 1 40 °C: 1 100 °C:	Atasheet. Liquid Oily Lubrica Non-ap Non-ap Non-ap <30000 Non-ap 855 kg 1,1 Non-ap Non-ap Non-ap 1,1 Non-ap Non-ap 10 - 12 Non-ap Non-ap	ant oplicable * oplicable * oplicable * 00 Pa (300 kPa) oplicable * /m <sup>3</sup> oplicable * oplicable * oplicable * oplicable *		



SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	-4436 °C
	Flammability:	
	Flash Point:	215 - 235 °C
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	300 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	rmation property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

### **10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide ( $CO_2$ ), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION



#### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

#### **11.1** Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.

- Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: Non-applicable

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
  - it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Non-applicable

Specific toxicology information on the substances:

Version: 1

Not available

#### SECTION 12: ECOLOGICAL INFORMATION



# NE104800/NE104900 - NEROL AUTO 4T PERFORMANCE VTX - LTN 5W30 A5-B5 A1-B1 100% SINT. FORD 913

### SECTION 12: ECOLOGICAL INFORMATION (continued)

The experimental information related to the eco-toxicological properties of the product itself is not available

#### 12.1 Toxicity:

#### Acute toxicity:

Identification		Concentration	Species	Genus
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: Non-applicable	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 457-320-2	EC50	>10 - 100 mg/L (72 h)		Algae

# **12.2** Persistence and degradability:

Not available

#### 12.3 Bioaccumulative potential:

Not available

# 12.4 Mobility in soil:

Not available

# **12.5** Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

### **12.6 Other adverse effects:**

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

### **13.1** Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08	Non dangerous	

#### Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC, The Waste Regulations 2011, 2011 No. 988). As under 15 01 (2014/955/EU) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

# SECTION 15: REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable



#### SECTION 15: REGULATORY INFORMATION (continued)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Seveso III:

#### Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

#### Non-applicable

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### **Other legislation:**

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (CDG 2009), SI 2009 No 1348 The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011, 2011 No. 1885 Control of Substances Hazardous to Health Regulations 2002 (as amended) EH40/2005 Workplace exposure limits

The Waste Regulations 2011, 2011 No. 988

# 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

#### Classification procedure:

Non-applicable

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

#### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

Version: 1



NE104800/NE104900 - NEROL AUTO 4T PERFORMANCE VTX - LTN 5W30 A5-B5 A1-B1 100% SINT. FORD 913

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -