

NE105090/NE105091 - NEROL AUTO 4T PERFORMANCE VTX - LTJ 0W30 C3 DEXOS 2 - RN700-710-VW 502/505 100% SINT.

SECT	TION 1: IDENTIFICATION OF THE	SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier:	NE105090/NE105091 - NEROL AUTO 4T PERFORMANCE VTX - LTJ 0W30 C3 DEXOS 2 - RN700-710-VW 502/505 100% SINT.
	Other means of identification:	
	UFI:	6A20-J0XE-H005-P6S7
1.2	Relevant identified uses of the su	bstance or mixture and uses advised against:
	Relevant uses: Synthetic motor oil	
	Uses advised against: All uses not spe	cified in this section or in section 7.3
1.3	Details of the supplier of the safe	ty data sheet:
1.4	Nerol Lubricants, S.L. Ctra. de Mazarrón Km. 3 - Cartagena 30393 Murcia - Murcia - España Phone: +34911271060 info@lubricantsnerol.com www.lubricantsnerol.com Emergency telephone number: (+353) 01 809 2166 (8 am. 10 pm) UROPE : +44 (0) 1235 239 670
SECT	TION 2: HAZARDS IDENTIFICATIO	DN
2.1	Classification of the substance or	mixture:
	CLP Regulation (EC) No 1272/20)8:
	The product is not classified as hazard	dous according to CLP Regulation (EC) No 1272/2008.
2.2	Label elements:	
	CLP Regulation (EC) No 1272/20)8:
	Hazard statements:	
	Non-applicable	
	Precautionary statements:	
1	Non applicable	

Non-applicable

Supplementary information:

EUH208: Contains Molybdenum polysulphide long chain alkyl dithiocarbamate complex. May produce an allergic reaction. **UFI:** 6A20-J0XE-H005-P6S7

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Synthetic oil

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	
CAS:			ntane ⁽¹⁾ Self-classifi	ed
	417-070-7 Non-applicable 01-0000016388-62- XXXX	Regulation 1272/2008	Aquatic Chronic 4: H413	10 - <25 %
(1) Subst	ances presenting a health	or environmental hazard w	hich meet criteria laid down in Regulation (EU) No. 2015/830	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830
 ⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2015/830

1: 26/05/2023 Version: 1



NE105090/NE105091 - NEROL AUTO 4T PERFORMANCE VTX - LTJ 0W30 C3 DEXOS 2 - RN700-710-VW 502/505 100% SINT.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification Chemical name/Classification C				Concentration
CAS:	Non-applicable	Molybdenum polysu	phide long chain alkyl dithiocarbamate complex ⁽²⁾	Self-classified	
Index:	457-320-2 Non-applicable 01-0000019337-66- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	()	<1 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830
⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

Version: 1


5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:





SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

it is recommended to avoid environmental spillage of both the product and its container

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION



NE105090/NE105091 - NEROL AUTO 4T PERFORMANCE VTX - LTJ 0W30 C3 DEXOS 2 - RN700-710-VW 502/505 100% SINT.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

Identification	Occupational exposure limits		
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	WEL (8h)	5 mg/m ³	
CAS: Non-applicable EC: 457-320-2	WEL (15 min)	10 mg/m ³	

Oils: WEL (15 min)= 10 mg/m3

DNEL (Workers):

		Short e	xposure	Long ex	xposure
Identification		Systemic	Local	Systemic	Local
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	2,24 mg/kg	Non-applicable
EC: 457-320-2	Inhalation	Non-applicable	Non-applicable	3,52 mg/m ³	Non-applicable

DNEL (General population):

		Short e	xposure	Long ex	xposure
Identification		Systemic	Local	Systemic	Local
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	Oral	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable
CAS: Non-applicable	Dermal	Non-applicable	Non-applicable	1,12 mg/kg	Non-applicable
EC: 457-320-2	Inhalation	Non-applicable	Non-applicable	1,76 mg/m ³	Non-applicable

PNEC:

Identification				
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	STP	10 mg/L	Fresh water	0,081 mg/L
CAS: Non-applicable	Soil	0,872 mg/kg	Marine water	0,008 mg/L
EC: 457-320-2	Intermittent	0,096 mg/L	Sediment (Fresh water)	195 mg/kg
	Oral	0.02 a/ka	Sediment (Marine water)	19.5 ma/ka

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.



E Body protection					
Pictogram	PPE	Labelling	CEN Standard		Remarks
	Work clothing	CATI		perio recom	ce before any evidence of deterioration. ds of prolonged exposure to the product professional/industrial users CE III is imended, in accordance with the regulati ISO 6529:2013, EN ISO 6530:2005, EN 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	perio recom	ce before any evidence of deterioration. ds of prolonged exposure to the product professional/industrial users CE III is mended, in accordance with the regulati EN ISO 20345:2012 y EN 13832-1:2007
F Additional emerge	ncy measures				
Emergency mea	sure	Standards	Emergency meas	sure	Standards
Emergency sho		ANSI Z358-1 -1:2011, ISO 3864-4:20	11 Eyewash statio	ns	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
In accordance with th					nmended to avoid environmental
In accordance with th spillage of both the pr Volatile organic cor With regard to Directi	e community legisla roduct and its contai npounds: ve 2010/75/EU, this	ner. For additional in product has the fol	on of the environment it nformation see subsectio lowing characteristics:		
In accordance with th spillage of both the pr Volatile organic cor	e community legisla roduct and its contai npounds: ve 2010/75/EU, this C	ner. For additional in	nformation see subsectio		
In accordance with th spillage of both the pr Volatile organic cor With regard to Directi V.O.C. (Supply):	e community legisla roduct and its contai npounds: ve 2010/75/EU, this C 20 °C: C	ner. For additional in product has the fol) % weight	nformation see subsectio		
In accordance with th spillage of both the pr Volatile organic cor With regard to Directi V.O.C. (Supply): V.O.C. density at 2	e community legisla roduct and its contai npounds: ve 2010/75/EU, this 20 °C: C umber: N	ner. For additional in product has the fol) % weight) kg/m ³ (0 g/L)	nformation see subsectio		
In accordance with th spillage of both the pr Volatile organic cor With regard to Directi V.O.C. (Supply): V.O.C. density at 2 Average carbon nu	e community legisla roduct and its contai npounds: ve 2010/75/EU, this 20 °C: C umber: N r weight: N	ner. For additional in product has the fol) % weight) kg/m ³ (0 g/L) Non-applicable	nformation see subsectio		
In accordance with th spillage of both the pr Volatile organic cor With regard to Directi V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular TION 9: PHYSICAL A Information on bas	e community legisla roduct and its contai mpounds: ve 2010/75/EU, this 20 °C: C umber: N r weight: N ND CHEMICAL P ic physical and ch	ner. For additional in product has the fol 0 % weight 0 kg/m ³ (0 g/L) Non-applicable Non-applicable ROPERTIES	nformation see subsection lowing characteristics:		
In accordance with th spillage of both the pr Volatile organic cor With regard to Directi V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular TION 9: PHYSICAL A Information on bas For complete informat	e community legisla roduct and its contai mpounds: ve 2010/75/EU, this 20 °C: C umber: N r weight: N ND CHEMICAL P ic physical and ch	ner. For additional in product has the fol 0 % weight 0 kg/m ³ (0 g/L) Non-applicable Non-applicable ROPERTIES	nformation see subsection lowing characteristics:		
In accordance with th spillage of both the pr Volatile organic cor With regard to Directi V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular TION 9: PHYSICAL A Information on bas For complete informat Appearance:	e community legisla roduct and its contai npounds: ve 2010/75/EU, this 20 °C: C umber: N r weight: N ND CHEMICAL P ic physical and ch tion see the product	iner. For additional in product has the fol 0 % weight 0 kg/m ³ (0 g/L) Non-applicable Non-applicable ROPERTIES memical properties datasheet.	nformation see subsection lowing characteristics:		
In accordance with the spillage of both the prive volatile organic correction with regard to Direction V.O.C. (Supply): V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular TION 9: PHYSICAL A Information on base For complete information Appearance: Physical state at 20 °C	e community legisla roduct and its contai npounds: ve 2010/75/EU, this 20 °C: C umber: N r weight: N ND CHEMICAL P ic physical and ch tion see the product	iner. For additional in product has the fol 0 % weight 0 kg/m ³ (0 g/L) Non-applicable Non-applicable ROPERTIES eemical properties datasheet.	nformation see subsection lowing characteristics:		
In accordance with th spillage of both the pr Volatile organic cor With regard to Directi V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular TION 9: PHYSICAL A Information on bass For complete informat Appearance: Physical state at 20 °C Appearance:	e community legisla roduct and its contai npounds: ve 2010/75/EU, this 20 °C: C umber: N r weight: N ND CHEMICAL P ic physical and ch tion see the product	iner. For additional in product has the fol 0 % weight 0 kg/m ³ (0 g/L) Non-applicable Non-applicable ROPERTIES Memical properties datasheet. Liqui Oily	nformation see subsection lowing characteristics:		
In accordance with the spillage of both the prive volatile organic conservation of the spillage of both the prive volatile organic conservation of the spillage of both the prive volatile organic conservation of the spillage of both the prive volation of the spillage of th	e community legisla roduct and its contai npounds: ve 2010/75/EU, this 20 °C: C umber: N r weight: N ND CHEMICAL P ic physical and ch tion see the product	iner. For additional in product has the fol) % weight) kg/m ³ (0 g/L) Non-applicable Non-applicable ROPERTIES datasheet. Liqui Oily	nformation see subsection lowing characteristics: s: d Amber		
In accordance with th spillage of both the pr Volatile organic cor With regard to Directi V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular TION 9: PHYSICAL A Information on bass For complete informat Appearance: Physical state at 20 °C Appearance:	e community legisla roduct and its contai npounds: ve 2010/75/EU, this 20 °C: C umber: N r weight: N ND CHEMICAL P ic physical and ch tion see the product	iner. For additional in product has the fol 0 % weight 0 kg/m ³ (0 g/L) Non-applicable Non-applicable ROPERTIES datasheet. Liqui Oily	nformation see subsection lowing characteristics:		

51 1 1	
Vapour pressure at 20 °C:	Non-applicable *
Vapour pressure at 50 °C:	<300000 Pa (300 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	855 kg/m³
Relative density at 20 °C:	1,018
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
*Not relevant due to the nature of the product, not providing inform	ation property of its hazards.

- CONTINUED ON NEXT PAGE -

Version: 1



SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIES	S (continued)
	Kinematic viscosity at 40 °C:	Non-applicable *
	Kinematic viscosity at 100 °C:	10 - 12 mm²/s
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	-4436 °C
	Flammability:	
	Flash Point:	215 - 235 °C
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	300 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	ses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	mation property of its hazards.

10.1 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. 10.2 Chemical stability: Chemically stable under the indicated conditions of storage, handling and use. 10.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. 10.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Contact with air Increase in temperature Sunlight Humidity Not applicable Not applicable Not applicable Not applicable Not applicable 10.5 Incompatible materials: Combustible materials Water Oxidising materials Others Acids Avoid strong acids Not applicable Not applicable Not applicable Avoid alkalis or strong bases



SECTION 10: STABILITY AND REACTIVITY (continued)

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: Non-applicable

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances

classified as hazardous for this effect. For more information see section 3.

- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

Version: 1

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
- it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable



NE105090/NE105091 - NEROL AUTO 4T PERFORMANCE VTX - LTJ 0W30 C3 DEXOS 2 - RN700-710-VW 502/505 100% SINT.

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Specific toxicology information on the substances:

Not available

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: Non-applicable	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 457-320-2	EC50	>10 - 100 mg/L (72 h)		Algae

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08	Non dangerous	

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC, The Waste Regulations 2011, 2011 No. 988). As under 15 01 (2014/955/EU) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION



SECTION 15: REGULATORY INFORMATION (continued)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (CDG 2009), SI 2009 No 1348 The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011, 2011 No. 1885 Control of Substances Hazardous to Health Regulations 2002 (as amended) EH40/2005 Workplace exposure limits

The Waste Regulations 2011, 2011 No. 988

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Aquatic Chronic 4: H413 - May cause long lasting harmful effects to aquatic life.

Version: 1

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Classification procedure:

Non-applicable

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:



ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Version: 1