

NE262300 - NEROL AUTO L.H.M. LUB HIDRAULICO MINERAL

1.1	Product identifier:	NE262300 - NEROL AUTO L.H.M. LUB HIDRAULICO MINERAL
	Other means of identification:	
	UFI:	W630-M0UD-K003-9MKV
1.2	Relevant identified uses of the	substance or mixture and uses advised against:
	Relevant uses: Automotive additive	-
	Uses advised against: All uses not	specified in this section or in section 7.3
1.3	Details of the supplier of the sa	
	Nerol Lubricants, S.L. Ctra. de Mazarrón Km. 3 - Cartager 30393 Murcia - Murcia - España Phone: +34911271060 info@lubricantsnerol.com www.lubricantsnerol.com	na
1.4		(+353) 01 809 2166 (8 am. 10 pm) EUROPE : +44 (0) 1235 239 670
CEC	TION 2: HAZARDS IDENTIFICA	
SEC	TION 2. HAZARDS IDENTIFICA	lion
2.1	Classification of the substance	
	CLP Regulation (EC) No 1272/	
	CLP Regulation (EC) No 1272/	
	CLP Regulation (EC) No 1272/ Classification of this product has b	2008:
2.2	CLP Regulation (EC) No 1272/ Classification of this product has b	2008: een carried out in accordance with CLP Regulation (EC) No 1272/2008.
2.2	CLP Regulation (EC) No 1272/ Classification of this product has b Aquatic Chronic 3: Hazardous to th	2008: een carried out in accordance with CLP Regulation (EC) No 1272/2008. ne aquatic environment, long-term hazard, Category 3, H412
2.2	CLP Regulation (EC) No 1272/ Classification of this product has b Aquatic Chronic 3: Hazardous to th Label elements:	2008: een carried out in accordance with CLP Regulation (EC) No 1272/2008. ne aquatic environment, long-term hazard, Category 3, H412
2.2	CLP Regulation (EC) No 1272/ Classification of this product has b Aquatic Chronic 3: Hazardous to th Label elements: CLP Regulation (EC) No 1272/ Hazard statements:	2008: een carried out in accordance with CLP Regulation (EC) No 1272/2008. ne aquatic environment, long-term hazard, Category 3, H412
2.2	CLP Regulation (EC) No 1272/ Classification of this product has b Aquatic Chronic 3: Hazardous to th Label elements: CLP Regulation (EC) No 1272/ Hazard statements: Aquatic Chronic 3: H412 - Harmful Precautionary statements:	 2008: een carried out in accordance with CLP Regulation (EC) No 1272/2008. ae aquatic environment, long-term hazard, Category 3, H412 2008: to aquatic life with long lasting effects.
2.2	CLP Regulation (EC) No 1272/ Classification of this product has b Aquatic Chronic 3: Hazardous to th Label elements: CLP Regulation (EC) No 1272/ Hazard statements: Aquatic Chronic 3: H412 - Harmful Precautionary statements: P101: If medical advice is needed, P102: Keep out of reach of childre P273: Avoid release to the environ	2008: een carried out in accordance with CLP Regulation (EC) No 1272/2008. he aquatic environment, long-term hazard, Category 3, H412 2008: to aquatic life with long lasting effects. have product container or label at hand. n.
2.2	CLP Regulation (EC) No 1272/ Classification of this product has b Aquatic Chronic 3: Hazardous to th Label elements: CLP Regulation (EC) No 1272/ Hazard statements: Aquatic Chronic 3: H412 - Harmful Precautionary statements: P101: If medical advice is needed, P102: Keep out of reach of childre P273: Avoid release to the environ	2008: een carried out in accordance with CLP Regulation (EC) No 1272/2008. ee aquatic environment, long-term hazard, Category 3, H412 2008: to aquatic life with long lasting effects. have product container or label at hand. n. ment.
2.2	CLP Regulation (EC) No 1272/ Classification of this product has b Aquatic Chronic 3: Hazardous to th Label elements: CLP Regulation (EC) No 1272/ Hazard statements: Aquatic Chronic 3: H412 - Harmful Precautionary statements: P101: If medical advice is needed, P102: Keep out of reach of childre P273: Avoid release to the environ P501: Dispose of contents/contain Supplementary information:	2008: een carried out in accordance with CLP Regulation (EC) No 1272/2008. ee aquatic environment, long-term hazard, Category 3, H412 2008: to aquatic life with long lasting effects. have product container or label at hand. n. ment.
2.2	CLP Regulation (EC) No 1272/ Classification of this product has b Aquatic Chronic 3: Hazardous to th Label elements: CLP Regulation (EC) No 1272/ Hazard statements: Aquatic Chronic 3: H412 - Harmful Precautionary statements: P101: If medical advice is needed, P102: Keep out of reach of childre P273: Avoid release to the environ P501: Dispose of contents/contain Supplementary information:	2008: een carried out in accordance with CLP Regulation (EC) No 1272/2008. he aquatic environment, long-term hazard, Category 3, H412 2008: to aquatic life with long lasting effects. have product container or label at hand. n. ment. er according to the separated collection system used in your municipality.
2.2	CLP Regulation (EC) No 1272/ Classification of this product has b Aquatic Chronic 3: Hazardous to th Label elements: CLP Regulation (EC) No 1272/ Hazard statements: Aquatic Chronic 3: H412 - Harmful Precautionary statements: P101: If medical advice is needed, P102: Keep out of reach of childre P273: Avoid release to the environ P501: Dispose of contents/contain Supplementary information: EUH208: Contains 1-(tert-dodecylt	2008: een carried out in accordance with CLP Regulation (EC) No 1272/2008. he aquatic environment, long-term hazard, Category 3, H412 2008: to aquatic life with long lasting effects. have product container or label at hand. n. ment. er according to the separated collection system used in your municipality.

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Oil/s

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Version: 1



NE262300 - NEROL AUTO L.H.M. LUB HIDRAULICO MINERAL

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification	Chemical name/Classification		Chemical name/Classification			
CAS:	67124-09-8	1-(tert-dodecylthio)	propan-2-ol ⁽¹⁾	Self-classified			
	266-582-5 Non-applicable 01-2119953277-30- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1B: H317 - Warning	(1) (1)	<1 %		

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes.

By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS for the product.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:


As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.





NE262300 - NEROL AUTO L.H.M. LUB HIDRAULICO MINERAL

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A Technical measu	res for storage
Minimum Temp.	: 5 ℃
Maximum Temp	: 30 °C
Maximum time:	6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

- CONTINUED ON NEXT PAGE -

Version: 1



NE262300 - NEROL AUTO L.H.M. LUB HIDRAULICO MINERAL

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued

		Short e	xposure	Long ex	xposure
Identification		Systemic	Local	Systemic	Local
1-(tert-dodecylthio)propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67124-09-8	Dermal	Non-applicable	Non-applicable	3,34 mg/kg	Non-applicable
EC: 266-582-5	Inhalation	Non-applicable	Non-applicable	11,8 mg/m ³	Non-applicable

DNEL (General population):

		Short e	xposure	Long ex	kposure
Identification		Systemic	Local	Systemic	Local
1-(tert-dodecylthio)propan-2-ol	Oral	Non-applicable	Non-applicable	0,84 mg/kg	Non-applicable
CAS: 67124-09-8	Dermal	Non-applicable	Non-applicable	1,67 mg/kg	Non-applicable
EC: 266-582-5	Inhalation	Non-applicable	Non-applicable	2,9 mg/m³	Non-applicable

PNEC:

Identification				
1-(tert-dodecylthio)propan-2-ol	STP	100 mg/L	Fresh water	0,006 mg/L
CAS: 67124-09-8	Soil	0,244 mg/kg	Marine water	0,001 mg/L
EC: 266-582-5	Intermittent	0,006 mg/L	Sediment (Fresh water)	8,28 mg/kg
	Oral	0,03333 g/kg	Sediment (Marine water)	0,828 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CAT II	EN ISO 20347:2012	Replace before any evidence of deterioration. Fo periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 20345:2012 y EN 13832-1:2007



NE262300 - NEROL AUTO L.H.M. LUB HIDRAULICO MINERAL

SECT	TION 8: EXPOSURE CONTROLS	5/PERSONAL PROTECTION	(continued)	
	F Additional emergency measure	25		
	Emergency measure	Standards	Emergency measure	Standards
	Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
	Environmental exposure cont	rols:		
	In accordance with the community spillage of both the product and it Volatile organic compounds:			
	With regard to Directive 2010/75/	EU, this product has the followi	ng characteristics:	
	V.O.C. (Supply):	0 % weight		
	V.O.C. density at 20 °C:	0 kg/m³ (0 g/L)		
	Average carbon number:	Non-applicable		
	Average molecular weight:	Non-applicable		
SECT	FION 9: PHYSICAL AND CHEM	ICAL PROPERTIES		
9.1	Information on basic physical	and chemical properties:		
	For complete information see the	product datasheet.		
	Appearance:			
	Physical state at 20 °C:	Liquid		
	Appearance:	Oily		
	Colour:	Gree		
	Odour:	Lubrican	t	
	Odour threshold:	Non-app	licable *	
	Volatility:			
	Boiling point at atmospheric press			
	Vapour pressure at 20 °C:	Non-app		
	Vapour pressure at 50 °C:) Pa (300 kPa)	
	Evaporation rate at 20 °C:	Non-app	licable *	
	Product description:			
	Density at 20 °C:	867 kg/n	1 ³	
	Relative density at 20 °C:	0,87		
	Dynamic viscosity at 20 °C:	Non-app	licable *	
	Kinematic viscosity at 20 °C:	Non-app		
	Kinematic viscosity at 40 °C:	Non-app		
	Concentration:	Non-app		
	pH:	Non-app		
	Vapour density at 20 °C:	Non-app		
	Partition coefficient n-octanol/wat			
	Solubility in water at 20 °C:	Non-app		
	Solubility properties:	Non-app		
	Description of the second second second		P I. I	
	Decomposition temperature:	Non-app Non-app		



NE262300 - NEROL AUTO L.H.M. LUB HIDRAULICO MINERAL

SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	prmation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Humidity
Not applicable Not applicable Not applicable Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION


11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Version: 1

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:



NER OL[®] Iubricants

NE262300 - NEROL AUTO L.H.M. LUB HIDRAULICO MINERAL

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.

- Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

- IARC: Non-applicable
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
 - it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Not available

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:



NE262300 - NEROL AUTO L.H.M. LUB HIDRAULICO MINERAL

SECTION 12: ECOLOGICAL INFORMATION (continued) Identification Concentration Genus Species >0,1 - 1 mg/L (96 h) Fish 1-(tert-dodecylthio)propan-2-ol C50 EC50 >0,1 - 1 mg/L (48 h) CAS: 67124-09-8 Crustacean EC50 EC: 266-582-5 >0,1 - 1 mg/L (72 h) Algae 12.2 Persistence and degradability: Not available 12.3 Bioaccumulative potential: Not available 12.4 Mobility in soil: Not available 12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria 12.6 Other adverse effects: Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC, The Waste Regulations 2011, 2011 No. 988). As under 15 01 (2014/955/EU) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable


Article 95, REGULATION (EU) No 528/2012: Non-applicable

Version: 1

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable



NE262300 - NEROL AUTO L.H.M. LUB HIDRAULICO MINERAL

SECTION 15: REGULATORY INFORMATION (continued)

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (CDG 2009), SI 2009 No 1348 The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011, 2011 No. 1885 Control of Substances Hazardous to Health Regulations 2002 (as amended) EH40/2005 Workplace exposure limits

The Waste Regulations 2011, 2011 No. 988

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Version: 1

Classification procedure:

Aquatic Chronic 3: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:



NE262300 - NEROL AUTO L.H.M. LUB HIDRAULICO MINERAL

SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Version: 1