


SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING







SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification	Chemical name/Classification		Concentration
		Ethanediol		
CAS:	107-21-1	Acute Tox. 4: H302 - Warning	()	25 - <50 %
CAS:	532-32-1	Sodium benzoate		4
		Eye Irrit. 2: H319 - Warning	()	1 - <2,5 %
CAS:		Sodium 2-ethylhexanoate		
	19766-89-3	Repr. 2: H361 - Warning	الله الله الله الله الله الله الله الله	<1 %

on the hazards of the substan

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eve contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

Most important symptoms and effects, both acute and delayed: 4.2

Acute and delayed effects are indicated in sections 2 and 11.

Indication of any immediate medical attention and special treatment needed: 4.3

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

Special hazards arising from the substance or mixture: 5.2

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

Advice for firefighters: 5.3

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...). Additional provisions:





SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION





ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

Identification	Occupational exposure limits		
Ethanediol	WEL (8h)	20 ppm	52 mg/m ³
CAS: 107-21-1	WEL (15 min)	40 ppm	104 mg/m ³

DNEL (Workers):

		Short e	xposure	Long ex	kposure
Identification		Systemic	Local	Systemic	Local
Ethanediol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 107-21-1	Dermal	Non-applicable	Non-applicable	106 mg/kg	Non-applicable
EC: 203-473-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	35 mg/m ³
Sodium benzoate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 532-32-1	Dermal	Non-applicable	Non-applicable	62.5 mg/kg	Non-applicable
EC: 208-534-8	Inhalation	Non-applicable	Non-applicable	3 mg/m ³	0.1 mg/m ³
Sodium 2-ethylhexanoate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 19766-89-3	Dermal	Non-applicable	Non-applicable	2 mg/kg	Non-applicable
EC: 243-283-8	Inhalation	Non-applicable	Non-applicable	14 mg/m ³	Non-applicable

DNEL (General population):

		Short e	exposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Ethanediol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 107-21-1	Dermal	Non-applicable	Non-applicable	53 mg/kg	Non-applicable
EC: 203-473-3	Inhalation	Non-applicable	Non-applicable	Non-applicable	7 mg/m ³
Sodium benzoate	Oral	Non-applicable	Non-applicable	16.6 mg/kg	Non-applicable
CAS: 532-32-1	Dermal	Non-applicable	Non-applicable	31.25 mg/kg	Non-applicable
EC: 208-534-8	Inhalation	Non-applicable	Non-applicable	1.5 mg/m ³	0.06 mg/m ³
Sodium 2-ethylhexanoate	Oral	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
CAS: 19766-89-3	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
EC: 243-283-8	Inhalation	Non-applicable	Non-applicable	3.5 mg/m ³	Non-applicable

PNEC:

Identification				
Ethanediol	STP	199.5 mg/L	Fresh water	10 mg/L
CAS: 107-21-1	Soil	1.53 mg/kg	Marine water	1 mg/L
EC: 203-473-3	Intermittent	10 mg/L	Sediment (Fresh water)	37 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	3.7 mg/kg
Sodium benzoate	STP	10 mg/L	Fresh water	0.13 mg/L
CAS: 532-32-1	Soil	0.06 mg/kg	Marine water	0.013 mg/L
EC: 208-534-8	Intermittent	0.305 mg/L	Sediment (Fresh water)	1.76 mg/kg
	Oral	0.3 g/kg	Sediment (Marine water)	0.176 mg/kg
Sodium 2-ethylhexanoate	STP	71.7 mg/L	Fresh water	0.36 mg/L
CAS: 19766-89-3	Soil	0.058 mg/kg	Marine water	0.036 mg/L
EC: 243-283-8	Intermittent	0.493 mg/L	Sediment (Fresh water)	0.301 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.03 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection





The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Picto	gram	PPE	Remarks
Mandat	bory hand	Chemical protective gloves (Material: Linear low -density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer 's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram PPE		Remarks
	Work clothing	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
+	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	• •	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D The Volatile Org 2012:

anic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regu	lations
---	---------

V.O.C. (Supply): V.O.C. density at 20 °C: 46.08 % weight 493.52 kg/m3 (493.52 g/L)

SEC	SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
9.1	Information on basic physical and chemical properties:			
	For complete information see the product datasheet.			
	Appearance:			
	Physical state at 20 °C:	Liquid		
	Appearance:	Fluid		
	Colour:	Pink		
	Odour:	Soft		
	Odour threshold:	Non-applicable *		
	*Not relevant due to the nature of the product, not providing information property of its hazards.			





SECT	SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)			
	Volatility:			
	Boiling point at atmospheric pressure:	154 - 158 °C		
	Vapour pressure at 20 °C:	6 Pa		
	Vapour pressure at 50 °C:	64.5 Pa (0.06 kPa)		
	Evaporation rate at 20 °C:	Non-applicable *		
	Product description:			
	Density at 20 °C:	1068 - 1074 kg/m³		
	Relative density at 20 °C:	1.08		
	Dynamic viscosity at 20 °C:	Non-applicable *		
	Kinematic viscosity at 20 °C:	Non-applicable *		
	Kinematic viscosity at 40 °C:	Non-applicable *		
	Concentration:	Non-applicable *		
	pH:	7.5 - 8.5 (at 100 %)		
	Vapour density at 20 °C:	Non-applicable *		
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *		
	Solubility in water at 20 °C:	Non-applicable *		
	Solubility properties:	Highly water-soluble		
	Decomposition temperature:	Non-applicable *		
	Melting point/freezing point:	-3735 °C		
	Flammability:			
	Flash Point:	Non Flammable (>60 °C)		
	Flammability (solid, gas):	Non-applicable *		
	Autoignition temperature:	Non-applicable *		
	Lower flammability limit:	Non-applicable *		
	Upper flammability limit:	Non-applicable *		
	Particle characteristics:			
	Median equivalent diameter:	Non-applicable		
9.2	Other information:			
	Information with regard to physical hazard class	ses:		
	Explosive properties:	Non-applicable *		
	Oxidising properties:	Non-applicable *		
	Corrosive to metals:	Non-applicable *		
	Heat of combustion:	Non-applicable *		
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *		
	Other safety characteristics:			
	Surface tension at 20 °C:	Non-applicable *		
	Refraction index:	1.385		

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.





Not applicable

SECTION 10: STABILITY AND REACTIVITY (continued)

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

10.5

Applicable for handling and storage at room temperature:

Not applicable

	Shock and friction Contact with air Not applicable Not applicable		Increase in temperature	Sunlight	Humidity Not applicable	
			Not applicable	Not applicable		
I	ncompatible materials					

Not applicable

Not applicable

10.6 Hazardous decomposition products:

Precaution

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Safety data sheet According to UK REACH



NE200107 - NEROL AUTO ANTICONG. 50% G12 EVO ROSA ORG.



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Ethanediol	LD50 oral	500 mg/kg	Rat
CAS: 107-21-1	LD50 dermal	>5000 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Sodium benzoate	LD50 oral	4070 mg/kg	Rat
CAS: 532-32-1	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
Ethanediol	LC50	53000 mg/L (96 h)	Pimephales promelas	Fish
CAS: 107-21-1	EC50	51000 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	24000 mg/L (168 h)	Selenastrum capricornutum	Algae

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
Ethanediol	BOD5	0.47 g O2/g	Concentration	100 mg/L
CAS: 107-21-1	COD	1.29 g O2/g	Period	14 days
	BOD5/COD	0.36	% Biodegradable	90 %

12.3 Bioaccumulative potential:

Substance-specific information:

	Identification		Bioaccumulation potential	
Ethanediol	hanediol		10	
CAS: 107-21-1	5: 107-21-1		-1.36	
		Potential	Low	

12.4 Mobility in soil:

Absorpt	tion/desorption	Volatility	
Koc	0	Henry	1.327E-1 Pa·m ³ /mol
Conclusion	Very High	Dry soil	No
Surface tension	4.989E-2 N/m (25 °C)	Moist soil	No
	Koc Conclusion	Conclusion Very High	Koc 0 Henry Conclusion Very High Dry soil

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria





SECTION 12: ECOLOGICAL INFORMATION (continued)

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class
20 01 15*	Alkalines	Dangerous

Type of waste:

HP6 Acute Toxicity

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable

- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

The Control of Major Accident Hazards Regulations 2015:

Non-applicable

Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Relevant instructions for use:

DIRECT USE - NO MIXING - DO NOT DILUTE

Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020. Control of Substances Hazardous to Health Regulations 2002 (as amended) EH40/2005 Workplace exposure limits.

- CONTINUED ON NEXT PAGE -

Document generated with Chemeter (www.siam-it.com)



SECTION 16: OTHER INFORMATION

NE200107 - NEROL AUTO ANTICONG. 50% G12 EVO ROSA ORG.



$\mathbf{R}_{\mathbf{M}} = \mathbf{R}_{\mathbf{M}} =$

Legislation related to safety data sheets: This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020. Texts of the legislative phrases mentioned in section 2: H302: Harmful if swallowed. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 **GB CLP Regulation:** Acute Tox. 4: H302 - Harmful if swallowed. Eye Irrit. 2: H319 - Causes serious eye irritation. Repr. 2: H361 - Suspected of damaging fertility or the unborn child. **Classification procedure:** Acute Tox. 4: Calculation method Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.