

NE950041/NE950042 - NEROL AUTO 4T PERFORMANCE VTR - RTJ 0W40 SN/CF A3/B4 100% SINT.



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

NE950041/NE950042 - NEROL AUTO 4T PERFORMANCE VTR - RTJ 0W40 SN/CF A3/B4 100% SINT.

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Synthetic motor oil

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Nerol Lubricants, S.L. Ctra. de Mazarrón Km. 3 - Cartagena 30393 Murcia - Murcia - España Phone: +34911271060 info@lubricantsnerol.com www.lubricantsnerol.com

1.4 Emergency telephone number: EUROPE : +44 (0) 1235 239 670

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

GB CLP Regulation:

Classification of this product has been carried out in accordance with GB CLP Regulation. Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

2.2 Label elements:

GB CLP Regulation:

Warning



Hazard statements:

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Precautionary statements:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection.

- P321: Specific treatment is urgently needed (go to see a doctor with the Safety data sheet for this product).
- P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
- P362+P364: Take off contaminated clothing and wash it before reuse.

Supplementary information:

Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts.

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Synthetic oil

Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:



NE950041/NE950042 - NEROL AUTO 4T PERFORMANCE VTR - RTJ 0W40 SN/CF A3/B4 100% SINT.



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification	Chemical name/Classification	Concentration
CAS:	68037-01-4	Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated (> 20.5 cSt 40 °C)	70 - <80 %
CAS:	91050-89-4	Fatty acids, C8-10, triesters with trimethylolpropane	20 - <25 %
CAS:	68583-75-5	2,5-Furandione, dihydro-, polybutenyl derivs., reaction products with tetraethylenepentamine Aquatic Chronic 4: H413	1 - <5 %
CAS:	70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts Skin Sens. 1B: H317 - Warning	1 - <5 %
CAS:	68442-22-8	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	1 - <5 %
CAS:	906665-74-5	Molybdenum, N,N-bis(C11-14-branched and linear alkyl)carbamodithioate oxo thioxo complexes	<1 %

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

- CONTINUED ON NEXT PAGE -

Revised: 15/03/2024 Version: 3 (Replaced 2)



NE950041/NE950042 - NEROL AUTO 4T PERFORMANCE VTR - RTJ



0W40 SN/CF A3/B4 100% SINT.

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...). Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

Environmental precautions: 6.2

It is recommended to avoid environmental spillage of both the product and its container.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

- D.- Technical recommendations to prevent environmental risks
- It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

Conditions for safe storage, including any incompatibilities: 7.2

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	30 °C
Maximum time:	6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.



NE950041/NE950042 - NEROL AUTO 4T PERFORMANCE VTR - RTJ 0W40 SN/CF A3/B4 100% SINT.



8.1 **Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace:

Oils: WEL (15 min)= 10 mg/m3

DNEL (Workers):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 70024-69-0	Dermal	Non-applicable	Non-applicable	3.33 mg/kg	Non-applicable
EC: 274-263-7	Inhalation	Non-applicable	Non-applicable	11.75 mg/m ³	Non-applicable
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso -Bu) esters, zinc salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68442-22-8	Dermal	Non-applicable	Non-applicable	11.4 mg/kg	Non-applicable
EC: 270-478-5	Inhalation	Non-applicable	Non-applicable	8.05 mg/m ³	Non-applicable

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	Oral	Non-applicable	Non-applicable	0.833 mg/kg	Non-applicable
CAS: 70024-69-0	Dermal	Non-applicable	Non-applicable	1.667 mg/kg	Non-applicable
EC: 274-263-7	Inhalation	Non-applicable	Non-applicable	2.9 mg/m ³	Non-applicable
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso -Bu) esters, zinc salts	Oral	Non-applicable	Non-applicable	0.24 mg/kg	Non-applicable
CAS: 68442-22-8	Dermal	Non-applicable	Non-applicable	5.71 mg/kg	Non-applicable
EC: 270-478-5	Inhalation	Non-applicable	Non-applicable	1.98 mg/m ³	Non-applicable

PNEC:

Identification				
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	STP	1000 mg/L	Fresh water	1 mg/L
CAS: 70024-69-0	Soil	271000000 mg/kg	Marine water	1 mg/L
EC: 274-263-7	Intermittent	10 mg/L	Sediment (Fresh water)	226000000 mg/kg
	Oral	0.016667 g/kg	Sediment (Marine water)	226000000 mg/kg
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso- Bu) esters, zinc salts	STP	100 mg/L	Fresh water	0.004 mg/L
CAS: 68442-22-8	Soil	0.007 mg/kg	Marine water	0.0046 mg/L
EC: 270-478-5	Intermittent	0.045 mg/L	Sediment (Fresh water)	0.045 mg/kg
	Oral	0.01067 g/kg	Sediment (Marine water)	0.005 mg/kg

8.2 **Exposure controls:**

A.- Individual protection measures, such as personal protective equipment

Revised: 15/03/2024

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding << UKCA marking>> or <<CE marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Filter mask for gases and vapours Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.	Pictogram	PPE	Remarks
	Mandatory respiratory tract	Filter mask for gases and vapours	5

Version: 3 (Replaced 2)

C.- Specific protection for the hands



NE950041/NE950042 - NEROL AUTO 4T PERFORMANCE VTR - RTJ 0W40 SN/CF A3/B4 100% SINT.



Pictogram	PPE			Remarks	
Mandatory hand protection	Protective gloves against minor risks	to t	ne product for professional us	of damage. For prolonged periods of exers/industrials, we recommend using C ISO 21420:2020 and EN ISO 374-1:20 A1:2018	
As the product is	a mixture of several substances, the			an not be calculated in advance	
total reliability ar D Eye and face pro	nd has therefore to be checked prior	to the app	ication.		
Pictogram	PPE			Remarks	
Fictogram	TTL .			Kennarks	
Mandatory face protection	Panoramic glasses against splash/projecti	ions. Clean		according to the manufacturer's instr is a risk of splashing.	
- Body protection		•			
Pictogram	PPE			Remarks	
Work clothing		to	Replace before any evidence of deterioration. For periods of prolonged expo to the product for professional/industrial users CE III is recommended, ir accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN 13688:2013, EN 464:1994.		
	Anti-slip work shoes	to	the product for professional/	erioration. For periods of prolonged en industrial users CE III is recommended in EN ISO 20345:2012 y EN 13832-1:	
F Additional emergency measures					
Emergency me	-		Emergency measure	Standards	
Emergency sh	ANSI Z358-1 ISO 3864-1:2011, ISO 3864	4-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2	
Environmental exposure controls:			,		
in accordance with t spillage of both the p	he community legislation for the proproduct and its container. For addition its container.	onal informa	tion see subsection 7.1.	D	
V.O.C. (Supply):	0 % weight		_	-	
V.O.C. density at	20 °C: 0 kg/m³ (0 g/L	.)			
ON 9: PHYSICAL	AND CHEMICAL PROPERTIES				
Information on ba	sic physical and chemical prope	erties:			
Information on basic physical and chemical properties: For complete information see the product datasheet.					
For complete inform					
For complete information Appearance:		Liquid			
For complete informa Appearance: Physical state at 20 °	PC:	Liquid Not availab	le		
For complete information Appearance: Physical state at 20 ^o Appearance:	PC:		le		
or complete information Appearance: hysical state at 20 ppearance: Colour:	РС:	Not availat			
	PC:	Not availab	le		

Volatility: Boiling point at atmospheric pressure:

Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Version: 3 (Replaced 2)



NE950041/NE950042 - NEROL AUTO 4T PERFORMANCE VTR - RTJ 0W40 SN/CF A3/B4 100% SINT.



SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Vapour pressure at 20 °C:	Non-applicable *
	Vapour pressure at 50 °C:	Non-applicable *
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	Non-applicable *
	Relative density at 20 °C:	0.84 - 0.88
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	80 - 100 mm²/s
	Kinematic viscosity at 100 °C:	12.5 - 16.3 mm²/s
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	≤-42 °C
	Flammability:	
	Flash Point:	≤200 °C
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	ses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	rmation property of its hazards.

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.



NE950041/NE950042 - NEROL AUTO 4T PERFORMANCE VTR - RTJ 0W40 SN/CF A3/B4 100% SINT.



SECTION 10: STABILITY AND REACTIVITY (continued)

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

10.5

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity	
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
5	Incompatible materials					
	Acids	Water	Oxidising materials	Combustible materials	Others	
	Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases	

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances
 - classified as hazardous for this effect. For more information see section 3.

Revised: 15/03/2024

- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Version: 3 (Replaced 2)

G- Specific target organ toxicity (STOT)-repeated exposure:



NE950041/NE950042 - NEROL AUTO 4T PERFORMANCE VTR - RTJ 0W40 SN/CF A3/B4 100% SINT.



ECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
- it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
- hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acı	ite toxicity	Genus
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	LD50 oral	16000 mg/kg	Rat
CAS: 70024-69-0	LD50 dermal	>5000 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts	LC50	2.66615 mg/L (96 h)	QSAR	Fish
CAS: 68442-22-8	EC50	Non-applicable		
	EC50	Non-applicable		

Chronic toxicity:

Identification		Concentration	Species	Genus
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts	NOEC	Non-applicable		
CAS: 68442-22-8	NOEC	0.4 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria


12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08	Non-hazardous
Type of waste:		





NE950041/NE950042 - NEROL AUTO 4T PERFORMANCE VTR - RTJ 0W40 SN/CF A3/B4 100% SINT.



SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste (England & Wales) Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste (England & Wales) Regulations 2011.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable
- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

The Control of Major Accident Hazards Regulations 2015:

Non-applicable

Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.

Control of Substances Hazardous to Health Regulations 2002 (as amended) EH40/2005 Workplace exposure limits.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

GB CLP Regulation:



NE950041/NE950042 - NEROL AUTO 4T PERFORMANCE VTR - RTJ 0W40 SN/CF A3/B4 100% SINT.



Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Aquatic Chronic 4: H413 - May cause long lasting harmful effects to aquatic life. Eye Dam. 1: H318 - Causes serious eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1B: H317 - May cause an allergic skin reaction. **Classification procedure:** Skin Sens. 1B: Calculation method Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Version: 3 (Replaced 2)

Revised: 15/03/2024